

HPD UNIQUE IDENTIFIER: 21343

CLASSIFICATION: 10 26 13 Corner Guards

PRODUCT DESCRIPTION: Conceal previous dings and scrapes with a variety of wing sizes, angles and heights. Achieve a finished look with color coordinated top and bottom caps included with every unit. Non-PVC cover is manufactured with G2 BioBlend Inpro's exclusive reformulated PETG made with a corn-based biopolymer.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
 Basic Method

Threshold Disclosed Per

- Material
 Product

Threshold level

- 100 ppm
 1,000 ppm
 Per GHS SDS
 Other

Residuals/Impurities

Residuals/Impurities
Considered in 4 of 4 Materials

Explanation(s) provided
for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized

Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened

Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[MATERIAL](#) | [SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)

[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

ALUMINUM [ALUMINUM NoGS SILICON LT-UNK IRON LT-P1] END MAGNESIUM LT-UNK | PHY ZINC LT-P1 | AQU | PHY | END | MUL] G2 BIOBLEND RESIN [POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED NoGS UNDISCLOSED NoGS] FIRE RETARDANT [UNDISCLOSED NoGS UNDISCLOSED BM-1] DESIGNER WHITE PIGMENT [POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED LT-UNK] CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen
Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Greenguard
VOC emissions: Greenguard Gold
Multi-attribute: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2020-08-10

PUBLISHED DATE: 2020-08-10

EXPIRY DATE: 2023-08-10

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ALUMINUM

#: 62.5900

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this HPD

OTHER MATERIAL NOTES:

ALUMINUM

ID: 91728-14-2

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-08-10 | | |
|---|------------------------|---|-----------------|--------------------------------|
| %: 0.9900 | GS: NoGS | RC: Both | NANO: No | SUBSTANCE ROLE: Monomer |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| SUBSTANCE NOTES: | | | | |

SILICON

ID: 7440-21-3

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-08-10 | | |
|---|------------------------|---|-----------------|--------------------------------|
| %: 0.0100 | GS: LT-UNK | RC: Both | NANO: No | SUBSTANCE ROLE: Monomer |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| SUBSTANCE NOTES: | | | | |

IRON

ID: 7439-89-6

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-08-10 | | |
|---|--|--|-----------------|--------------------------------|
| %: 0.0100 | GS: LT-P1 | RC: Both | NANO: No | SUBSTANCE ROLE: Monomer |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor | | |
| SUBSTANCE NOTES: | | | | |

MAGNESIUM

ID: 7439-95-4

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-08-10 | | |
|---|--------------------------------|---|-----------------|--------------------------------|
| %: 0.0100 | GS: LT-UNK | RC: Both | NANO: No | SUBSTANCE ROLE: Monomer |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-Statements) | H250 - Catches fire spontaneously if exposed to air | | |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-Statements) | H260 - In contact with water releases flammable gases which may ignite spontaneously | | |
| SUBSTANCE NOTES: | | | | |

ZINC

ID: 7440-66-6

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-08-10 | | |
|---|--|---|-----------------|--------------------------------|
| %: 0.0100 | GS: LT-P1 | RC: Both | NANO: No | SUBSTANCE ROLE: Monomer |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| ACUTE AQUATIC | EU - GHS (H-Statements) | H400 - Very toxic to aquatic life | | |
| CHRON AQUATIC | EU - GHS (H-Statements) | H410 - Very toxic to aquatic life with long lasting effects | | |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-Statements) | H250 - Catches fire spontaneously if exposed to air | | |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-Statements) | H260 - In contact with water releases flammable gases which may ignite spontaneously | | |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor | | |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters | | |
| SUBSTANCE NOTES: | | | | |

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered for this product

OTHER MATERIAL NOTES:

POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)

ID: 25640-14-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-08-10

%: 72.0000 - 72.0000

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-08-10

%: 14.9000 - 14.9000

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Propriety according to supplier request

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-08-10

%: 13.0000 - 13.0000

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Propriety according to supplier request

FIRE RETARDANT

%: 3.7300

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered for this material

OTHER MATERIAL NOTES: None

UNDISCLOSED

| | | | | |
|---|------------------------|---|-----------------|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-08-10 | | |
| %: 90.0000 - 90.0000 | GS: NoGS | RC: None | NANO: No | SUBSTANCE ROLE: Flame retardant |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| SUBSTANCE NOTES: Proprietary based on supplier information. | | | | |

UNDISCLOSED

| | | | | |
|---|------------------------|---|-----------------|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-08-10 | | |
| %: 25.0000 - 25.0000 | GS: BM-1 | RC: None | NANO: No | SUBSTANCE ROLE: Flame retardant |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| SUBSTANCE NOTES: Proprietary based on supplier information. | | | | |

DESIGNER WHITE PIGMENT

%: **1.2800**

| | | |
|--|---|--|
| MATERIAL THRESHOLD: 100 ppm | RESIDUALS AND IMPURITIES CONSIDERED: Yes | MATERIAL TYPE: Polymeric Material |
| RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material | | |
| OTHER MATERIAL NOTES: None | | |

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-08-10**

| | | | | |
|------------------------------|---|-----------------|-----------------|--------------------------------|
| %: 63.5000 | GS: NoGS | RC: None | NANO: No | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | No warnings found on HPD Priority Hazard Lists | | | |
| SUBSTANCE NOTES: None | | | | |

UNDISCLOSEDHAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-08-10**

| | | | | |
|---|--|---|-----------------|--------------------------------|
| %: 35.0800 - 35.0800 | GS: LT-1 | RC: None | NANO: No | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen | | |
| CANCER | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route | | |
| CANCER | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources | | |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor | | |
| CANCER | MAK | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value | | |
| CANCER | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels | | |
| SUBSTANCE NOTES: Propriety according to supplier request | | | | |

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | Greenguard | | |
|--|-------------------------------|--------------------------------|---|
| CERTIFYING PARTY: Third Party | ISSUE DATE: 2009-03-12 | EXPIRY DATE: 2020-03-12 | CERTIFIER OR LAB: UL Environment |
| APPLICABLE FACILITIES: All | | | |
| CERTIFICATE URL: https://spot.ul.com/ | | | |
| CERTIFICATION AND COMPLIANCE NOTES: GREENGUARD Certification Number: 6625-410 Certification Status: Certified | | | |

| VOC EMISSIONS | Greenguard Gold | | |
|---|-------------------------------|--------------------------------|---|
| CERTIFYING PARTY: Third Party | ISSUE DATE: 2009-03-12 | EXPIRY DATE: 2020-03-12 | CERTIFIER OR LAB: UL Environment |
| APPLICABLE FACILITIES: All | | | |
| CERTIFICATE URL: https://spot.ul.com/ | | | |
| CERTIFICATION AND COMPLIANCE NOTES: GREENGUARD Gold Certification Number: 6625-420 Certification Status: Certified | | | |

| MULTI-ATTRIBUTE | Environmental Product Declaration | | |
|--|-----------------------------------|--------------------------------|---|
| CERTIFYING PARTY: Third Party | ISSUE DATE: 2013-11-08 | EXPIRY DATE: 2019-11-08 | CERTIFIER OR LAB: UL Environment |
| APPLICABLE FACILITIES: All | | | |
| CERTIFICATE URL: https://easternus.azureedge.net/~media/Inpro/TDM%20Files/Documents/Inpro/Inpro%20Corner%20Guard%20EPDIPC2288%20Rev1pdf.ashx?modified=20170414105638 | | | |

CERTIFICATION AND COMPLIANCE NOTES: "Environmental Product Declarations (EPDs) certified by UL enable manufacturers to make those disclosures in a credible, streamlined and universally understood manner. An Environmental Product Declaration is a comprehensive, internationally harmonized report created by a product manufacturer that documents the ways in which a product, throughout its lifecycle, affects the environment. UL certifies that the correct type of information is in the report. UL-certified EPDs demonstrate a manufacturer's commitment to sustainability while showcasing that manufacturer's willingness to go above and beyond -- all in the name of transparency and clarity. They also help purchasers to better understand a product's sustainable qualities and environmental repercussions. As such, certified EPDs equip manufacturers with a valuable tool for differentiation and empower customers to make more informed purchasing decisions." To learn more: <http://services.ul.com/service/environmental-product-declaration/>

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

None

MANUFACTURER INFORMATION

MANUFACTURER: **Inpro**
 ADDRESS: **S80W18766 Apollo Drive**
Muskego WI 53150, USA
 WEBSITE: **www.inprocorp.com**

CONTACT NAME: **Laura Loucks**
 TITLE: **Sustainability Specialist**
 PHONE: **262-679-9010**
 EMAIL: **laloucks@inprocorp.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming

LAN Land toxicity
MAM Mammalian/systemic/organ toxicity
MUL Multiple
NEU Neurotoxicity
NF Not found on Priority Hazard Lists
OZO Ozone depletion
PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section. The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain. The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.